

# WATER INDUSTRY

Water | Wastewater | Water Treatment  
Water Filtration | RO Systems | Desalination



[delvalflow.com](http://delvalflow.com)



# WHO WE ARE

**DelVal Flow Controls** is an industrial valve & actuator manufacturer with a team of over 150 engineers. We design and test 100% of our products. Each of our valves and actuators comes with a serial tracking number and a **3-year warranty** as standard.



## PRODUCTS SUITED FOR MULTIPLE APPLICATIONS WITHIN THE **WATER INDUSTRIES**

Our high quality products have unique features and benefits that ensure a long life and reduced life cycle costs.

## **BUTTERFLY VALVES**

### **Series 50/52 - RESILIENT SEATED**

- Nylon coated ductile iron and stainless steel disc for **outstanding corrosion resistance**
- **Center-LOK® Seat Design** ensures valve seat does not move during seating and unseating of disc



#### **Series 44-49**

HIGH PERFORMANCE  
DOUBLE OFFSET

- **Adjustable packing** without the need to remove actuator
- **Bear-X Bearing** provides excellent thermal, chemical and wear resistance



#### **Series 4**

TRIPLE OFFSET

- **Metal-to-Metal Sealing** ensures bubble tight shut-off and **zero-leakage performance**
- **Stellite 21 seat** as standard



#### **Series 5C/5D**

SPLIT BODY  
RESILIENT SEATED

- **One piece** thin profile disc/stem
- **Center-LOK® Seat**



#### **Series 42/43**

LINED RESILIENT  
SEATED

- Available in **PTFE** and **PFA disc and seat** configurations
- **Live-loaded stem seal**



#### **Series 51/53**

WAFER/DOUBLE  
FLANGED

- **Heavy duty bronze sleeve bearing** reduces friction and torque
- **Center-LOK® Seat**

# ACTUATORS



## SERIES 2E

### ELECTRIC ACTUATOR

- Direct mount **ISO 5211** base
- Manual override handwheel
- **Space heater** provided as standard



## SERIES 21

### RACK AND PINION PNEUMATIC ACTUATOR

- Manufactured to full compliance with EN ISO 5211 and NAMUR VDI/VDE 3845
- **Universal insert** allows for easy field changing and can be **inserted in the pinion in 32 different positions**

# BALL VALVES



## SERIES 65-72

### FLOATING BALL VALVE

- Sizes 1/2" to 12"
- Class 150 to 900
- **ISO 5211** top plate for direct mounting



## SERIES 75/76

### SINGLE PIECE BALL VALVE

- Reduced bore
- Carbon steel and stainless steel flanged body
- Class 150 and 300



## SERIES 64

### THREE PIECE BALL VALVE

- Threaded and socket weld end connections
- Available in carbon steel and stainless steel body
- Class 400 to 800



## SERIES T

### TWO PIECE SEAL WELDED BALL VALVE

- Threaded end connection
- Available in carbon steel and stainless steel body
- Firesafe and NACE versions available

## OTHER PRODUCTS & ACCESSORIES

Scotch Yoke Actuators | Pneumatic & Electropneumatic Positioners  
Limit Switches | Solenoid Valves



# 100% TESTING 100% SERIALIZATION



## CERTIFICATES



### **Manufacturing & Sales - Americas** **DelVal Flow Controls USA**

6068 Highway 73  
Geismar, Louisiana 70734 | USA  
T: +1 833-DELVAL1  
F: +1 225-744-4328  
sales@delvalflow.com

### **Manufacturing & Sales - International** **DelVal Flow Controls Pvt. Ltd.**

Gat No: 25, Kavathe  
Post-Javale, Tal. Khandala  
Dist.Satara Pin-412801 | India  
salesindia@delvalflow.com

### **International Projects** **DelVal Flow Controls USA**

11767 Katy Freeway, Suite 435  
Houston, Texas 77079 | USA  
T: +1 281-809-3652  
projects@delvalflow.com

**delvalflow.com**