MINING INDUSTRY

Leaching | SXEW | Concentrator Raffinate | PLS | Acid Handling





WHO WE ARE

DelVal Flow Controls is an industrial Valve & Actuator manufacturer with a team of over 150 engineers. We design our own products and test 100% of our products. Each of our valves and actuators comes with a serial tracking number and an industry-leading 3-year warranty.

PRODUCTS SUITED FOR MULTIPLE APPLICATIONS WITHIN THE

MINING INDUSTRY

Our high quality products have unique features and benefits that ensure a long life and reduced life cycle costs.

BUTTERFLY VALVES

Series 44-49 HIGH PERFORMANCE DOUBLE OFFSET

- Stainless steel body, disc and stem
- ULTRA Seat An engineer fluorocarbon polymer, excellent for handling aggressive fluids and high pressures
- Meets API 609 and ASME B16.34 F-F API 609 and ASME B16.10





Series 50/52

RESILIENT SEATED

- Nylon coated ductile iron/SS/super duplex stainless disc for outstanding corrosion resistance
- Center-LOK® Seat Design ensures valve seat does not move during seating and unseating of disc



Series 51/53

DOUBLE FLANGED

- Heavy duty bronze sleeve bearing reduces friction and torque
- Center-LOK® Seat



Series 42/43

LINED RESILIENT SEATED

- Available in PTFE and PFA disc and seat configurations
- Live-loaded stem seal



Series 4

TRIPLE OFFSET

- Metal-to-Metal Sealing ensures bubble tight shut-off and zero-leakage performance
- Stellite 21 seat as standard

ACTUATORS



Series 2E

ELECTRIC ACTUATOR

- Direct mount **ISO 5211** hase
- Manual override handwheel
- Space heater provided as standard



Series 21

RACK AND PINION PNEUMATIC ACTUATOR

- Manufactured to full compliance with EN ISO 5211 and NAMUR VDI/VDE 3845
- Star design inserts allow for easy field changing and mounting at any angle

BALL VALVES



Series 75/76

SINGLE PIECE BALL VALVE

- Reduced bore
- · Carbon steel and stainless steel flanged body
- Class 150 and 300



Series 64

3-PIECE BALL VALVE

- Threaded and socket weld end connections
- Available in CS and SS body
- Class 400 to 800

Series 65-72

FLOATING BALL VALVE

- Sizes 1/2" to 12"
- Class 150 to 900
- **ISO 5211** top plate for direct mounting



Series T

2-PIECE SEAL WELDED BALL VALVE

- Threaded end connection
- Available in CS and SS body
- Firesafe and NACE versions available

OTHER PRODUCTS & ACCESSORIES

Scotch Yoke Actuators | Pneumatic & Electropneumatic Positioners
Limit Switches | Solenoid Valves

100% TESTING 100% SERIALIZATION



CERTIFICATES























Manufacturing & Sales - Americas DelVal Flow Controls USA

6068 Highway 73 Geismar, Louisiana 70734 | USA T: +1 833-DELVAL1 F: +1 225-744-4328 sales@delvalflow.com

Manufacturing & Sales - International DelVal Flow Controls Pvt. Ltd.

Gat No. 25, Kavathe Post-Javale, Tal. Khandala Dist. Satara, Pin-412801 | India salesindia@delvalflow.com

International Projects ** DelVal Flow Controls USA

11767 Katy Freeway, Suite 435 Houston, Texas 77079 | USA T: +1 281-809-3652 projects@delvalflow.com

DelVal Arizona - A Division of DelVal Flow Controls USA

1120 W Alameda Dr., Suite 3 Tempe, Arizona 85282 | USA T: +1 623-215-7146 F: +1 623-215-7187

delvalflow.com